1 10 2002 9.20 P.12

CONIFERS

FOR DISTRIBUTION AND USE ONLY IN

OREGON WASHINGTON SLN OR-910009 SLN WA-910017

OMITE-6E is a liquid emulsifiable concentrate for preparing earnys to control European red and two-spotted spider mites.

For the control of the spider mites on evergreen conifers grown for Christmas trees and ornamental uses. This is to include trees grown on plantations, in nurseries, shade houses and containers. This may include, but is not limited to, Douglas fir, Grand fir, Shasta fir, Noble fir, Scotch pine, Colorado blue spruce and similar species.

Ground Application: Apply 2 - 3 pints per acre in 20 to 200 gallons of water per acre depending on plant size, equipment used, and infestation levels.

Aerial Application: Apply 2 - 3 pints of OMITE-6E per acre in 10 to 20 gallons of water per acre. Use a minimum of 30 p.s.i. for aerial applications.

In order to obtain better coverage, one half the recommended rate of OMITE-6E per acre may be used and, the area being treated can be flown twice at right angles to each other.

Number of Applications per Season: 3

General Information: For optimum results, treat as soon as mite infestations are first apparant. The greatest benefits can be realized when OMITE-6E is applied on low-level mite populations before severe infestations develop and the needles are covered with webbing. When mite populations become heavy to severe with heavy webbing, they are more difficult to control. The use of 3 pints of OMITE-6E per acre is recommended under these conditions.

as recommended under tress conditions.

OMITE-6E is not systemic in action. Therefore, complete thorough coverage of both upper and lower needle surfaces is necessary for lasting control. The primary activity is against motile forms. The adults and nymphs are usually controlled within a few days after treatment. This is followed by a new hatch of mittes which will, in turn be controlled in a few more days. Normally, mittes are controlled in 5 days. Under cool conditions, 10 to 20 days may be required for effective control. Do not spray at temperatures above 90°F.

COMPATIBILITY: OMITE-SE is not compatible with alkaline materials such as lime, lime suffur or Bordeaux. The effectiveness will be reduced. Do not apply OMITE-SE with oils or emulaffable concentrate formulations as needle injury may occur. USE RESTRICTION: Do not graze at feed livestock on cover crops grown among the trees.

UNIROYAL CHEMICAL COMPANY, INC., Middlebury, Connecticut 06749
IMPORTANT NOTICE—Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product continue to label instructions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.



OMITE-6E

PAREG. NO. 400-89
FOR BEST RESULTS FOLLOW
RECOMMENDATIONS CAREFULLY
SPECIAL LOCAL NEEDS (SLN)
REGISTRATIONS

ALE FOR USE IN THE STATES OF
OREGON
WASHINGTON
SEE STATECROP MIDEX ON PAGE
A liquid amulatifable consenerate for properting spreadons (the spider mass)
THIS LABELING IS IN ADDITION TO THE STANDAR FEDERAL LABEL PRINTED ON THE CONTAINER

DIRECTIONS FOR USE
The following use directions and best appropriate that appropriate